

# LITHIUM BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3  
OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

<b>1. Name/Description of battery</b>
Rechargeable Li-ion Polymer Battery, Model BLP801, 7.74Vdc, 2250mAh, 17.41Wh

<b>1a. Name/Description of the cells inside the battery</b>
533280


The test summary of the cells inside the battery must either be presented or under checkpoint 9 and 9a it must be confirmed that the UN 38.3 test summary for the cells is available.

<b>2. Manufacturer of battery</b>	
Name	SUNWODA ELECTRONIC CO., LTD.
Address	No.2, Yihe Rd, Shilong Community, Shiyan Street, Baoan District, Shenzhen City, Ch
Phone	0755-29516888
Email	wangwan@sunwoda.com
Website	

<b>2a. Manufacturer of the equipment (if the battery is contained in equipment)</b>	
Name	OnePlus Technology (Shenzhen) Co., Ltd
Address	18C02, 18C03, 18C04 and 18C05, Shum Yip Terra Building, Binhe Avenue North,
Phone	+86 755 61898696-7023
Email	jathan.liu@oneplus.com
Website	www.oneplus.com

<b>3. Test laboratory of battery</b>	
Name	Vkan Certification & Testing Co., Ltd.
Address	No.3, Tiantaiyi Road, Kaitai Avenue, Science City, Guangzhou P.R.C
Phone	020 32293888
Email	office@cvc.org.cn
Website	www.cvc.org.cn

<b>4. ID-number and date</b>			
Unique test report identification number	RZUN2020-1659	Date of test report	2020-06-08



# LITHIUM BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3  
OF MANUAL OF TESTS AND CRITERIA

Name/Description of battery (taken from field 1)

Rechargeable Li-ion Polymer Battery

## DESCRIPTION OF BATTERY

5. Mark the type of battery with an "•"		
<input checked="" type="radio"/>	Lithium ion battery	Lithium metal battery <input type="radio"/>
<input type="radio"/>	Lithium hybrid battery	


6. Parameters	
Mass in gram (g):	63g
Lithium ion: Indicate watt-hour rating (Wh):	17.41Wh
Lithium metal: Indicate lithium metal content in gram (g):	
Lithium hybrid: Indicate lithium metal content in gram (g) and watt-hour rating (Wh):	g Wh

7. Physical description of battery
Rechargeable Li-ion Polymer Battery

8. Model numbers
BLP801

## TESTS AND RESULTS

9. List of tests conducted and results - Mark N/A, pass or fail with an "•"	N/A	pass	fail
T1 - Altitude simulation	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T2 - Thermal Test	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T3 - Vibration	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T4 - Shock	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T5 - External Short Circuit	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T6 - Impact - for cylindrical cells having a diameter of at least 18 mm See check point 1a and 9a.	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T6 - Crush - for prismatic cells, pouch cells, button cells and cylindrical cells having a diameter of less than 18 mm. See check point 1a and 9a.	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T7 - Overcharge	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
T8 - Forced Discharge, only valid for cells. See check point 1a and 9a.	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>



# LITHIUM BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3  
OF MANUAL OF TESTS AND CRITERIA

Name/Description of battery (taken from field 1)

Rechargeable Li-ion Polymer Battery

<p><b>9a. UN 38.3 Test Confirmation for the Cells inside the battery</b> When no separate document for the cells is provided, this confirms that the cells inside the battery (see checkpoint 1.a.) have successfully passed the UN 38.3 test. In this case under checkpoint 9 the T.6 and T.8 must be marked as „passed“ and here under 9.a. „Cell UN 38.3 Test confirmed“ needs to be ticked.</p>	<input checked="" type="radio"/> Cell UN 38.3 Test confirmed	<input type="radio"/> Cell UN 38.3 Test NOT confirmed
---	--	---

<b>10. Reference to assembled battery testing requirements</b>		
	N/A	

<b>11. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto</b>		
United Nations: Recommendations on the Transport of Dangerous Goods - Manual of Tests and Criteria, Amendment 1 to Sixth revised edition, 2017 (ST/SG/AC.10/11/Rev.6/Amend.1), Section 38.3: Lithium Batteries		

## ADDITIONAL SUPPLIER INQUIRY

<p><b>12. Quality management system for manufacturing batteries</b> Does the manufacturer of the battery manufacture the products based on a documented quality management system according to transport regulations?</p>	<input checked="" type="radio"/> YES	<input type="radio"/> NO	<input type="radio"/>
---	--------------------------------------	--------------------------	-----------------------

<p><b>13. Are the following parameters exceeded?</b> Lithium ion battery: more than 100 Wh Lithium metal battery: more than 2 g Lithium Lithium hybrid Battery: more than 1,5 g Lithium and/or more than 10 Wh</p>	<input type="radio"/> YES	<input type="radio"/> NO	<input checked="" type="radio"/>
--	---------------------------	--------------------------	----------------------------------

<b>Check point 14 – 16 need to be answered when 13 has been ticked "YES":</b>			
<p><b>14.</b> Does each battery incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?</p>	<input type="radio"/> YES	<input type="radio"/> NO	<input checked="" type="radio"/>
<p><b>15.</b> Is each battery equipped with an effective means of preventing external short circuits?</p>	<input type="radio"/> YES	<input type="radio"/> NO	<input checked="" type="radio"/>
<p><b>16.</b> Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.)?</p>	<input type="radio"/> N/A	<input type="radio"/> YES	<input type="radio"/> NO

<b>17. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion batteries and Lithium polymer batteries</b>			
State of Charge (SoC) max. 30 %	<input type="radio"/> N/A	<input checked="" type="radio"/> YES	<input type="radio"/> NO




# LITHIUM BATTERY TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3  
OF MANUAL OF TESTS AND CRITERIA

Name/Description of battery (taken from field 1)
Rechargeable Li-ion Polymer Battery

## BATTERIES INSTALLED IN EQUIPMENT

18. Check point 18 needs to be answered when the batteries are installed in articles:					
18.a) Only button cells enclosed?	<input type="radio"/>	YES	<input type="radio"/>	NO	<input type="radio"/>
18.b) Number of enclosed batteries per equipment					
When the equipment is intentionally active/switched on during transport e.g. data loggers:					
18.c) Confirmation that no dangerous amount of heat is emitted from the equipment	<input type="radio"/>	N/A	<input type="radio"/>	YES	<input type="radio"/>
18.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160	<input type="radio"/>	N/A	<input type="radio"/>	YES	<input type="radio"/>

19. Place, Date	20. Title, Surname, First name	21. Company stamp and signature
China 2020.12.16	Legal Representative 杨润宇	 杨润宇